# **SAFETY DATA SHEET**

(REVISED 10/17/2018 REV4)

## **SECTION 1: IDENTIFICATION**

GHS product identifier: PRSI 308 SWORL BONDER

Product Classification: Silicone Sealant

Supplier's details: SWORL, Inc.

602 E. Front Street Hutto, TX 78634

Phone: 512-846-2444 Fax: 512-846-2400

www.SWORL.net

Emergency phone number: CHEM-TEL 800-255-3924

General Description: Silicone elastomer

Physical Form: Paste

Color: Clear

Odor: Acetic acid odor

**NFPA Profile:** Health – 1 Flammability – 1 Instability/Reactivity – 0

**Note:** NFPA = National Fire Protection Association

## SECTION 2: HAZARD(S) IDENTIFICATION

Physical Hazards: Not classified

**Health Hazards:** Reproductive toxicity (fertility) Category 2

Environmental Hazards: Not classified OSHA Defined Hazards: Not classified

• Hazards not stated here are "Not Classified", "Not Applicable" or "Classification not possible".

### **GHS Label Elements**

Signal Word: Warning



Hazard Statement: Suspected of damaging fertility.

**Precautionary Statement:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

**Prevention:** Wear protective gloves / protective clothing / eye protection / face protection. Wash well after handling. Contaminated work clothing should not be allowed out of work place.

Response:

**Skin:** Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention / advice if you feel unwell.

**Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritant persists get medical attention / advice.

**If exposed or concerned:** Get medical attention or advice. Take off contaminated clothing and wash it before reuse.

(REVISED 10/17/2018 REV4)

## SECTION 2: HAZARD(S) IDENTIFICATION continued

Storage: Store locked up.

Disposal: Disposal of contents / container in accordance with local / regional / state / federal and

international regulations.

Hazard(s) not Otherwise classified (HNOC): None known.

Supplemental information: None known.

**Substance(s) formed under the conditions of use:** This product reacts with water, moisture or humid air to evolve following compounds: Acetic acid.

The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards. Titanium oxide.

HMIS (Ratings):

Health: 1

Flammability: 1 Physical hazard: 0

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Mixtures**

#### **Hazardous Ingredients**

Chemical Name	CAS-No.	%
Ethyltriacetoxysilane	17689-77-9	1 - 5
Methylacetoxysilane	4253-34-3	1 - 5
Distillates (petroleum), hydrotreated middle	64742-46-7	1 – 7
Octamethylcyclotetrasiloxane (impurity)	556-67-2	< 1

### SECTION 4: FIRST-AID MEASURES

**Inhalation:** Remove to fresh air. Call a physician if symptoms develop or persist.

**Skin Contact:** Wash off with soap and plenty of water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation or rash occurs: get medical attention / advice. Take off contaminated clothing and wash before use.

**Eye Contact:** Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation developed or persists.

Ingestion: Wash out mouth. Get medical attention immediately.

Most Important symptoms / effects, acute and delayed: Direct contact with eyes may cause temporary irritation.

Indication of immediate Medical attention and Special treatment needed: Treat symptomatically.

**General Information:** If exposed or concerned: Get medical advice / attention. Ensure that medical personnel are aware materials involved and take precautions to protect themselves. Wash contaminated clothing before reuse.

## **SECTION 5: FIRE-FIGHTING MEASURES**

Suitable extinguishing media: Water fog, foam, dry chemical powder, or Carbon dioxide (CO2).

Unsuitable extinguishing media: None known.

**Specific hazards arising from the chemical:** By heating and fire, harmful vapors / gases may be formed. **Specific protective equipment and precautions for firefighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots and self-contained breathing apparatus.

Fire Fighting equipment / Instructions: Move containers from fire area if you can do so without risk.

General fire hazards: No unusual fire or explosion hazards noted.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material. Ensure adequate ventilation. Wear appropriate personal protective equipment. **Methods and materials for containment and cleaning up:** Eliminate sources of ignition.

**Large Spills:** Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up product and place into a container for later disposal.

**Small Spills:** Wipe up with absorbent material (e.g. cloth). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for reuse.

Environmental precautions: Prevent further leakage or spillage if safe to go so.

### **SECTION 7: HANDLING AND STORAGE**

**Precaution for safe handling:** Provide adequate ventilation. Use care in handling / storage. Obtain special instructions before use. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Pregnant and breastfeeding women must not handle this product. Do not breathe mist or vapor. Avoid contact with eyes. Avoid contact with skin. Avoid long term exposure.

Condition for safe storage, Including any incompatibilities: Store locked up. Keep container tightly closed. Keep out of reach of children. Store in a cool dry place out of direct sunlight. Keep in original container.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

U.S. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Decomposition	CAS#	Туре	Value
Distillates (petroleum) Hydrotreated middle	64742-46-7	TWA (Mist)	5 mg/m <sup>3</sup>
Acetic acid	64-19-7	PEL	25 mg/m <sup>3</sup>

**U.S. ACGIH Threshold Limit Values** 

**Decomposition** 

Acetic acid 64-19-7 STEL 15 ppm TWA 10 ppm

U.S. NIOSH: Pocket Guide to Chemical Hazards

<u>Decomposition</u>

Acetic acid 64-19-7 STEL 37 mg/m<sup>3</sup>

15 ppm

TWA 25 mg/m<sup>3</sup>

10 ppm

Distillates (petroleum) 64742-46-7 TWA (Mist) 5 mg/m<sup>3</sup>

Hydrotreated middle ST (Mist) 10 mg/m<sup>3</sup>

**Biological limit values:** No biological exposure limits for the ingredient(s).

**Appropriate engineering controls:** Provide adequate general and local exhaust. Provide eyewash station. Pay attention to ventilation such as local exhaust, mechanical and or / door open for at least 24 hours after applications.

Individual protection measures such as person protective equipment.

Eye / Face protection: Tightly sealed safety glasses according to EN 166.

Skin / Hand protection: Wear protective gloves.

Other: Wear suitable protective clothing.

Respiratory protection: If airborne concentrations are above the applicable exposure limits, use

NIOSH approved respiratory protection.

**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations:** Avoid contact with eyes. Avoid contact with skin. When using, do not eat, drink or smoke. Keep away from food or drink. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the work place. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Form: Paste Color: Clear

Odor:
Odor Threshold:
PH:
Not available
Melting point / freezing point:
Not available
Not available
Not available
Not available
Not available
Not available

Flash Point: 141.8°F (>96°C) Closed cup

**Evaporation rate:** <1 (Butyl Acetate=1) **Flammability (solid, gas):** Not applicable

Upper / Lower flammability or explosive limits:

Flammability limit – lower (%):

Flammability limit – upper (%):

Explosive limit – lower (%):

No data

Not available

Explosive limit – upper (%):

Not available

(REVISED 10/17/2018 REV4)

Vapor pressure:Negligible (25°C)Vapor density:>1 (air=1)Relative density:1.04 (25°C)Solubility (water):InsolubleVOC Content:30 grams per liter

**VOC Content:**Partition coefficient:
30 grams per liter
Not applicable

(n-octanol / water)

Auto ignition temperature:No dateDecomposition temperature:Not availableViscosity:Not applicableMolecular weight:Not applicable

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: No hazardous reaction known under normal conditions of use, storage, and transport.

Chemical stability: Stable at normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: None known.

**Hazardous decomposition products:** This product reacts with water, moisture, or humid air to evolve following compounds. Acetic acid. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon dioxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

**Ingestion:** Expected to be a low ingestion hazard. **Inhalation:** Prolonged inhalation may be harmful.

**Skin contact:** No adverse effects due to skin contact are expected. **Eye contact:** Direct contact with eyes may cause temporary irritation.

## Symptoms related to the physical, chemical, and toxicological characteristic

Information on toxicological effects

#### Acute toxicological data decomposition

	CAS#	Species	Test Results
Acetic acid	64-19-7		
Acute Dermal LD50		Rabbit	1060 mg/kg
Inhalation LC 50		Guinea Pig	5000 ppm, 1 hour
		Mouse	5620 ppm, 1 hour
		Rat	11.4 mg/l, 4 hours
Oral LD50		Mouse	4960 mg/kg
		Rabbit	1200 mg/kg
		Rat	3.31 g/kg
Distillates (petroleum	1)		
Hydrotreated middle			
Oral		Rat	> 5,000 mg/kg
Inhalation			
LC50		Rat	1.78 mg/l, 4 hours
Dermal		Rat	> 2,000 mg/kg

Skin corrosion/irritation: Causes severe skin burns and eye damage. (Acetic acid)

Skin - Rabbit: 500 mg/24hr. MILD (Octamethylcyclotetrasiloxane)

Serious eye damage/eye irritation: Causes serious eye damage. (Acetic acid)

Eye – Rabbit: MILE (Octamethylcyclotetrasiloxane)

Respiratory Sensitization: Not available.

**Skin Sensitization:** No evidence of sensitization (Octamethylcyclotetrasiloxane) **Germ Cell Mutagenicity:** Negative (Bacteria)(Octamethylcyclotetrasiloxane)

**Carcinogenicity:** The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards. Titanium oxide. **IARC Monographs, Overall Evaluation of Carcinogenicity:** Titanium oxide (CAS 13463-67-7) 2B possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

Reproductive toxicity: Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long time period (dystocia) were observed at these concentrations. Statistically significant alterations in the parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreases in the number of implantation sites and live litter size. The significance of these findings to humans is not known. (Octamethylcyclotetrasiloxane)

Specific target organ toxicity-single exposure: Not available

Specific target organ toxicity-repeated exposure: Repeated inhalation or oral exposure of mice and rats to Octamthylcyclotetrasiloxane produced an increase in liver size. No gross histopathological or significant clinical chemistry effects were observed. An increase in liver metabolizing enzymes, as well as a transient increase in the number of normal cells (hyperplasia) followed by an increase in cell size (hypertrophy) were determined to be the underlying causes of the liver enlargement. The biochemical mechanisms producing these effects are highly sensitive in rodents, while similar mechanisms in humans are insensitive. A two year combined chronic and carcinogenicity assay was conducted on Octamethylcyclotetrasiloxane. Rats were exposedby whole-body vapor inhalation 6hrs/day, 5 days a week for up to 104 weeks to 0, 10, 30, 150, or 700 ppm of Octamethylcyclotetrasiloxane. The increase in incidence of (uterine) endometrial cell hyperplasia and uterine adenumas (benign tumors) were observed in female rats at 700 ppm. Since these effects only occurred at 700 ppm, a level that greatly exceeds typical workplace or consumer exposure, it is unlikely that industrial, commercial or consumer uses of products containing Octamethylcyclotetrasiloxane would result in a significant risk to humans. (Octamethylcyclotetrasiloxane)

**Aspiration hazard:** The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard. Distillates (petroleum), hydrotreated middle.

Chronic effects: Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**Further information:** This product reacts with water, moisture or humid air to evolve following compounds: Acetic Acid.

## SECTION 12: ECOLOGICAL INFORMATION

### **Ecotoxicity**

-Octamethylcyclotetrasiloxane: May cause long lasting harfule effects to aquatic life.

#### Decomposition

Acetic acid (CAS 64-19-7)

Aquatic

Crustacea EC50 Water Flea (Daphnia Magna) 65 mg/l, 48 hours Fish LC50 Bluegill (Leponis Macrochirus) 75 mg/l, 96 hours

Persistence and degradability: Not available.

Bioaccumulative potential: Bio Concentration Factor (BCF) / (Flathead minnow):12400

Octamethylcyclotetrasiloxane. **Mobility in Soil:** Not available.

Other adverse effects: Not available.

## SECTION 13: DISPOSAL AND CONSIDERATIONS

Can be land-filled for cured product or burned in a chemical incinerator equipped with an afterburner and scrubber. Do not dispose the emptied container unlawfully. Observe all federal, state & local laws.

## SECTION 14: TRANSPORTION INFORMATION

**DOT:** Not regulated as dangerous good. **IATA:** Not regulated as dangerous good. **IMDG:** Not regulated as dangerous good.

Transport in bulk according to Annex II of MARPDL 73/78 and The IBC Code:

This product is not intended to be transported in bulk.

## SECTION 15: REGULATORY INFORMATION

**US** federal regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed

SUPERFUND AMENDMENTS AND REAUTHROIZATION ACT OF 1986 (SARA) SARA 313 (TRI reporting)

## **US State Regulations**

Massachusetts: Substance List: Not regulated

New Jersey Work and Community Right to Know Act: Not regulated

Pennsylvania Worker and Community Right to Know Act: Not regulated

Rhode Island Right to Know: Not regulated

California Proposition 65: Not regulated

US California Proposition 65 - CRT: Not regulated

### **International Inventories**

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non Domestic Substances (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemicals	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
United States	Toxic Substances Control Act (TSCA) Inventory	Yes

## **SECTION 16: OTHER INFORMATION**

Restrictions for use: Do NOT use this material in medical applications involving implantation in the human body or in contact with internal body fluids or tissues.

### Users Responsibility/Disclaimer of Liability:

Disclaimer: The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. SWORL, Inc. assumes no responsibility for injury to vendee or third persons proximately cause by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.